



## **TABLE OF CONTENTS**

Introduction	:
About this document	
Other relevant documents	
Symbols used in this manual	:
Mayranty and liability	
Warranty and liability	•
Liability	•
Warranty	•
Product information	
Intended use	
improper use	
Specifications	
Requirements for the work environment	
requirements for the work environment	
System and application	
Components	!
Application	
Safety	:
Personal protective equipment	;
Safety warnings and regulations	:
salety hallings and regulations	
Installation	•
Preparation	
Cutting mounting rails to required size	1
Fixing the seam clamps	1:
Attaching the mounting rails	1-
Optional: Attaching the cable clips	1:
Mounting the first panel	10
Mounting the following panels	19
Mounting the last panel	2
Mounting multiple rows	2
Dismantling and disposal	2.
General	2
==::=:=::	2.



## INTRODUCTION

## **ABOUT THIS DOCUMENT**

In this manual you will find the installation instructions for the ClickFit EVO mounting system for solar panels on pitched standing seam roofs.

The system is suitable for mounting solar panels in portrait and landscape orientation.

These instructions are addressed at qualified technical personnel.

You can download the latest version of this manual from www.esdec.com.

## **OTHER RELEVANT DOCUMENTS**

When installing the ClickFit EVO mounting system, you will need the following documents:

- The project plan, which you can make in the calculator at www.esdec.com.
- The installation manuals for the solar panels, inverters and any other components.

Always observe the following standards, regulations and rules:

During the installation of the mounting system, it is important to adhere to the installation manual and the accompanying standards to prevent accidents. Pay special attention to (local) standards, regulations and legislation (among others):

- The Building Regulations 2010 (latest version)
- · Health and Safety at Work etc Act 1974
- · Health and Safety in Roof work HSE
- Eurocodes 0 (EN 1990 Structural Design)
- Eurocodes 1 (EN 1991 (Influences on structures)
- HD-IEC 60363 series Electrical installations for low voltage
- EN-IEC 62305-2 Protection lightning Risk Management
- MIS 3002 The solar PV standard
- MCS012 Product Certification Scheme Requirements: Pitched Roof Installation Kits

## **EARTHING AND BONDING**

Our ClickFit EVO systems are VDE certified for corrosion and bonding. According to the electrical standard HD-IEC 60364 – chapter 712, functional bonding for inverter's isolation check is necessary.

In the Esdec ClickFit EVO Series functional bonding is achieved through the EVO universal module clamp for the module frames and EVO rails. The final functional bonding connection is made by proper mounting of a separate bonding cable onto the EVO rail and an adequate bonding connection with the inverter or earthing contact.

For detailed instructions on grounding and bonding, consult the electrical standard HD-IEC 60364 and any local regulations. Please, follow the instructions of the inverter's manual. This operation needs to be done by a certified electrician.

## SYMBOLS USED IN THIS MANUAL

A	Warning!	Failure to follow this instruction could result in serious injury or major damage to the product.
!	Caution!	Failure to follow this instruction could result in personal injury or damage to the product.
1	Note	Emphasises an instruction.

## **WARRANTY AND LIABILITY**

## **LIABILITY**

The manufacturer accepts no liability for damage or injury caused by the failure to comply (strictly) with the safety guidelines and instructions in this manual, or by negligence during installation of the product and the accessories listed in this document.

Esdec BV reserves the right to change this document without notice.

## **WARRANTY**

Esdec extends a 20 year product warranty. The warranty is subject to the warranty terms and general terms & conditions of Esdec BV. These can be found on the <a href="https://www.esdec.com">www.esdec.com</a> website.

## **PRODUCT INFORMATION**

## **INTENDED USE**

The ClickFit EVO mounting system is designed for mounting solar panels on pitched standing seam roofs. With this mounting system, solar panels can be positioned on the roof either with the short side at the bottom (portrait) or with the long side at the bottom (landscape).

## **IMPROPER USE**

The mounting system is not suitable for use on types of roof other than the one specified.

## **SPECIFICATIONS**

Orientation of solar panels	Portrait and landscape	Portrait and landscape	
Frame height of solar panel	29 - 50mm	29 - 50mm	
Maximum area of solar panels	2.6m²	2.6m <sup>2</sup>	
Maximum field size	Horizontal rails: 6.15m per segment	Vertical rails: 15m per segment	
Roof type	Pitched roof with seams, except copper roofs		
Roof pitch	The seam clamps can be mounted wit	The seam clamps can be mounted with a roof pitch between 5 and 60°.	
Maximum roof height	Subject to Eurocode guidelines and national additions. Use the calculator to calculate the possibilities of your project.		
Edge zone	30cm distance to the ridge, 30cm to the side of the roof and 30 cm to the gutter.		


- Enter the data in the calculator, so you are sure of choosing the right system for the terrain category, snow loads and wind zone that applies to your project.
- ① Depending on the roof and the result obtained from the calculator, you can lay several segments with solar panels next to each other. Always leave a minimum of 25mm of space between segments to allow for expansion of the roof.
- 1 If your project has different specifications than these, please contact Esdec.

## REQUIREMENTS FOR THE WORK ENVIRONMENT

The roof is in good condition.
The roof construction has sufficient bearing capacity to support the installation, taking into account wind and snow loads.

## **SYSTEM AND APPLICATION**

## 1 COMPONENTS





COMPONENT ARTICLE NUMBER	
1 ClickFit EVO Seam Clamp	100803 _
2 ClickFit EVO Mounting Rail	10081
3 ClickFit EVO Module Clamp universal	1008020(-B)
4 ClickFit EVO Mounting Rail End Cap	1008060(-B)
5 a. ClickFit EVO End Clamp Support	1008065(-B)
<b>b.</b> ClickFit EVO End Cap without end clamp support	1008066(-B)

ACCESSORY	ARTICLE NUMBER
6 ClickFit EVO Mounting Rail Coupler	1008061
7 ClickFit EVO Cable Clip Optimiser Ready	1008062
8 ClickFit EVO Self-drilling screw 6,3x42mm SW10/T30	1003016
9 ClickFit EVO mounting set	1008064
<b>10</b> ClickFit EVO Screw Bit Torx 30	1008069

1 Check that the correct components are present in the required numbers according to the project plan generated by the calculator.

SEAM CLAMP			
		SSE Mini	SS Z
Article number	1008035	1008033	1008031
Suitable for	Single-folded standing seam roof Snap seam roof	Double-folded standing seam roof	Round standing seam roof
Seam opening	14mm	9mm	ø 23mm
Fixing	Directly on the seam		
Click connection	Rotatable for horizontal and v	ertical mounting of rails	





- 1 The distance from the edge of solar panels to both the ridge and the gutter must be at least 30cm.
- 1 The distance from the solar panels to the side of the roof must be at least 30cm.
- Clamping the solar panels on the short side is not recommended.

## **SAFETY**

## PERSONAL PROTECTIVE EQUIPMENT



## **SAFETY WARNINGS AND REGULATIONS**

## Warning!

- A Installation work should always be carried out by at least two skilled people.
- ⚠ Do not use components from other mounting systems.
- Do not leave out parts.
- Always work according to the current regulations for working on roofs.
- A Do not perform the installation in strong winds, or when the roof is slippery or wet.
- Always work on the roof with fall protection and, if necessary, with safety nets and edge protection.
- Never stand on or in the gutter.
- ⚠ Make sure that an aerial platform or ladder does not rest on the seams.
- Always use a lifting aid or hoisting device when moving heavy equipment.
- ⚠ Always place ladders on a strong, stable surface.


## Caution!


- Walk as little as possible on the roof. Use an aerial platform, ladder or other solution.
- Never walk on the system or on the solar panels.

## **INSTALLATION**

## 1 PREPARATION


## 1 INSPECT THE ROOF The roof is in good condition. The roof construction has sufficient bearing capacity to support the installation, taking into account wind and snow loads. 2 CHECK THE PROJECT PLAN AND COMPONENTS Check the project plan. Is there no project plan? Then create one in the online calculator before starting installation. Check that all components are present (page 5).





# 5 DETERMINE THE POSITION OF THE SOLAR PANELS ON THE ROOF ≥ 30 cm ≥ 30 cm

1 Take into account sunlight and shade over the whole year. Apply power optimizer to get the most out of your installation.




- ① Consult the project plan to determine the position of the mounting rails for your panel.
- for pitched roofs, we recommend a horizontal mounting. This is more durable and often creates a neater finish.

## 7 MARK THE POSITION OF THE SEAM CLAMPS


- If you are not sure about the strength of the roof, we advise you to have this checked by an expert/the supplier of the standing seam roof. A standing seam roof is always subject to expansion or contraction due to temperature fluctuations.
- If you can see the position of the standing seam clips, mount the seam clamps at least 50mm away.
- 1 Consult the project plan to determine the position of the seam clamps for your project.

## 2 CUTTING MOUNTING RAILS TO REQUIRED SIZE



1 Calculate the minimum length of the mounting rails: (panel size + 12 mm) x number of panels - 12 mm + (2x 30 mm)


## 2 OPTIONAL: USE COUPLERS TO CONNECT THE MOUNTING RAILS



1 If the outer panel edge is more than 250 mm outside the first/last seam, extend the mounting rail to 50 mm beyond the previous/next seam and provide a seam clamp here for attachment. The extra 50 mm facilitates sufficient length to accommodate the mounting rails of the end cap (art. no. 1008066(-B)). At the location of the end clamp, you must provide the end clamp support (art. no. 1008065(-B)).


## FIXING THE SEAM CLAMPS






General tightening torque	15 - 17 Nm
Tightening torque for steel standing seam roofs with material thickness > 0.7 mm	18 - 20 Nm


1 Always use a torque wrench. Make sure that the bit is correctly and completely inserted in the screw head when tightening, in view of the high tightening torque.




## 1 PLACE THE MOUNTING RAIL INTO THE CLICK CONNECTION AND ALIGN THEM




## 2 CLICK IN THE MOUNTING RAILS




## 3 FOR VERTICAL MOUNTING: SECURE THE MOUNTING RAILS TO THE CLICK CONNECTIONS




1 Secure the bottom click connection with a self-drilling screw. Skip two click connections and then screw down the fourth click connection. Repeat until the top click connection.



1 Use one cable clip per solar panel.







1 With vertical rail orientation you have to fix the cable clip by bending the edge of the mounting rail with adjustable pliers.

## MOUNTING THE FIRST PANEL

## 1 OPTIONAL: CLICK THE AUXILIARY SETON THE PANEL




## 2 OPTIONAL: CLICK THE CABLES OF THE PANEL FIRMLY INTO THE CABLE CLAMP





## **3 CLICK THE UNIVERSAL MODULE CLAMP ON THE RAILS**





## 4 SLIDE THE END CAPS ONTO THE RAILS 2×














## 7 MOUNTING THE FOLLOWING PANELS

Optional: Repear steps 6.1. Click the Auxiliary seton the panel and 6.2. Click the cables of the panel firmly into the cable clamp.



- ① Install the module clamp with the drainage channel of the module clamp pointing downwards.
- Repeat step 6.6. Place the panel on the rails







## 8 MOUNTING THE LAST PANEL

Optional: Repear steps 6.1. Click the Auxiliary seton the panel and 6.2. Click the cables of the panel firmly into the cable clamp.
Repeat step 6.6. Place the panel on the rails
Repeat step 7.2. Slide the panel against the clamps


## 1 OPTIONAL: SAW THE MOUNTING RAILS TO SIZE 20-35 mm <250 mm >250 mm

- 1 If the overhang is smaller than 250 mm, keep a minimum of 20 mm to a maximum of 35 mm rail length overhang for mounting the end cap (art. no.1008060(-B)).
- 1 If the outer panel edge is more than 250 mm outside the first/last seam, extend the mounting rail to 50 mm beyond the previous/next seam and provide a seam clamp here for attachment. The extra 50 mm facilitates sufficient length to accommodate the mounting rails of the end cap (art. no. 1008066(-B)). At the location of the end clamp, you must provide the end clamp support (art. no. 1008065(-B)).










## 9 MOUNTING MULTIPLE ROWS



- 1 Always keep a minimum of 10 mm between each row of panels in the case of horizontally oriented rails, or each panel column in the case of vertically oriented rails.
- 1 Always follow the project plan from the calculator.

## **DISMANTLING AND DISPOSAL**

## **GENERAL**

Always follow local laws and regulations when dismantling the mounting system and disposing of it.

